Hervey Bay Research by Year

Simmons, M.L., and Marsh, H.E. 1986. Sightings of humpback whales in Great Barrier Reef waters. Scientific Reports of the Whales Research Institute **37**: 31-46.

Kaufman, G.D., Smultea, M.A., and Forestell, P. 1987. Use of lateral body pigmentation patterns for photographic identification of East Australian (Area V) humpback whales. Cetus. The Journal of Whales, Dolphins and Porpoises **7**(Spring 1987): 5-13.

Kaufman, G.D., Osmond, M.G., Ward, A.J., and Forestell, P.H. 1990. Photographic documentation of the migratory movement of a humpback whales (*Megaptera novaeangliae*) between East Australia and Antarctic Area V. Rep. int. Whal. Comm **(Special Issue 12)**: 265-268.

Paterson, R.A. 1991. The migration of Humpback Whales Megaptera novaeangliae in east Australian waters. Memoirs of the Queensland Museum **30**(2): 333-341.

Paterson, R.A., and Van Dyck, S. 1991. Studies of two humpback whales, *Megaptera novaeangliae*, stranded at Fraser Island, Queensland. Mem. Qld. Mus. **30 (2)**: 343-350.

Corkeron, P.J., and Bryden, M.M. 1992. Sightings of Risso's Dolphin, Grampus griseus (*Cetacea: Delphinida*e), off Fraser Island, Queensland. Australian Mammalogy **15**: 129-130.

Corkeron, P. 1993. Aerial Survey Methodology for Hervey Bay Marine Park Queensland - A Review. Report to the Queensland Department of Environment and Heritage: 1-33.

Forestell, P.H., Brown, E.K., and Kaufman, G.D. 1993. Spatial and temporal use of Hervey Bay Marine Park by humpback whales and boats: 1992. Final Report to Department of Environment and Heritage, Hervey Bay Marine Park, Maryborough, Queensland, Australia

Kaufman, G.D., Lagerquist, B.A., Forestell, P.H., and Osmond, M.B. 1993. Humpback whales of Australia. A catalogue of individual whales identified by the fluke photographs. Queensland Department of Environment and Heritage, Brisbane, Australia.

Corkeron, P.J., Brown, M., Slade, R.W., and Bryden, M.M. 1994. Humpback Whales, Megaptera novaeangliae (Cetacea: Balaenopteridae), in Hervey Bay, Queensland. Wildlife Research **21 (3)**: 293-305.

Paterson, R., Paterson, P., and Cato, D.H. 1994. The status of Humpback whales *Megaptera novaeangliae* in East Australia thirty years after whaling. Biological Conservation **70 (2)**: 135-142.

Corkeron, P.J. 1995. Humpback whales (*Megaptera novaeangliae*) in Hervey Bay, Queensland: behaviour and responses to whale-watching vessels. Canadian Journal of Zoology **73 (7)**: 1290-1299.

Corkeron, P.J., and Brown, M. 1995. Humpback whales (Megaptera novaeangliae) in Hervey Bay, Queensland. Impact of whalewatching & the utilisation of the bay by whales. Workshop on Scientific Aspects of Managing Whale Watching, Montecastello di Vibio, Italy, 30 March–4 April 1995. International Fund for Animal Welfare, London, U.K.: 17 pp.

Forestell, P.H., and Brown, E.K. 1995. Feasibility study on shore-based observations of humpback whale distribution and behaviour patterns in Hervey Bay Marine Park, Australia. Final Report to the Department of Environment and Heritage, Hervey Bay Marine Park, Maryborough, Queensland, Australia.

Franklin, T. 1996. Research priorities for Whale watching from an Industry viewpoint. *In* Encounters with Whales: 1995 Proceedings. *Edited by* K. Colgan and S. Prasser and A. Jeffery. Australian Nature Conservation Agency 1996, Hervey Bay, 26th-30th July 1995.

Franklin, T., and Franklin, W. 1998. Research and management opportunities for whale management and monitoring in the Hervey Bay Marine Park. Symposium on Wildlife and Tourism. Australasian Wildlife Management Society Conference 1998. UQ Gatton.

Moss, A., Kocovshi, J., Franklin, W., and Franklin, T. 1998. Hervey Bay Report: Chlorophyll-a sampling in Hervey Bay by The Oceania Project 1993-1997. Queensland Department of Environment and Heritage - Environmental Technical Report No. 23.

Chaloupka, M., and Osmond, M. 1999. Spatial and Seasonal Distribution of Humpback Whales in the Great Barrier Reef Region. In Life in the slow lane: ecology and conservation of long-lived marine animals. Edited by J.A. Musick. Am. Fish. Soc. Symp. No. 23. pp. 89–106.: 89–106.

Chaloupka, M., Osmond, M., and Kaufman, G. 1999. Estimating seasonal abundance trends and survival probabilities of humpback whales in Hervey Bay (east coast Australia). Marine Ecology Progress Series **184**: 291-301.

Dredge, M., Duncaner, P., Heasman, M., Johnston, B., Joll, L., Mercer, J., Souter, D., and Whittingham, T. 2000. Feasibility of scallop enhancement and culture in Australian waters. FRDC PROJECT 190/2000.

Garrigue, C., Forestell, P., Greaves, J., Gill, P., Naessig, P., and Baker, C.S. 2000. Migratory movement of humpback whales (Megaptera novaeangliae) between New Caledonia, East Australia and New Zealand. J. Cetacean Res. Manage. **2 (2)**: 111-115.

Brigden, J. 2001. Southern right whales, Eubalaena australis (Desmoulins, 1822), in Hervey Bay, Queensland. Mem. Qld. Mus. **47**(2): 430.

Forestell, P.H., Paton, D.A., Hodda, P., and Kaufman, G.D. 2001. Observations of a hypo-pigmented humpback whale, Megaptera novaeangliae, off east coast Australia: 1991-2000. Memoirs of the Queensland Museum **47**(2): 437-450.

Paterson, R.A., Paterson, P., and Cato, D.H. 2001. Status of humpback whales, Megaptera novaeangliae, in east Australia at the end of the

20th century. Memoirs of the Queensland Museum Volume **47 (2)**: 579-586.

Vang, L. 2002. Distribution, abundance and biology of Group V humpback whales Megaptera novaeangliae: A review. The State of Queensland Environmental Protection Agency, Conservation Management Report, August 2002.

Forestell, P.H., Kaufman, G.D., and Chaloupka, M. 2003. Migratory characteristics of humpback whales (Megaptera novaeangliae) in Hervey Bay and the Whitsunday Islands, Queensland, Australia: 1993-1999. Final Report to the Environment Protection Agency, Queensland Parks and Wildlife Service, Brisbane, Queensland, Australia: 6 pp.

Franklin, W., and Franklin, T. 2003. Submission to Queensland Environment Protection Agency on Scallop Farming Trial in Hervey Bay.

Boyd, R., Goodwin, I., Ruming, K., and Davies, S. 2004. Fraser Island. River of Sand - A geological perspective on the evolution of Fraser Island and the surrounding seabed. Earth and Ocean Science Group Earth Sciences, University of Newcastle, NSW.

Moss, A., Franklin, W., and Franklin, T. 2004. Long-term monitoring of chlorophyll-a in Hervey Bay, Queensland by The Oceania Project 1993-2003. Queensland Environmental Protection Agency.

Naessig, P.J., and Lanyon, J.M. 2004. Levels and probable origin of predatory scarring on humpback whales (Megaptera novaeangliae) in east Australian waters. Wildlife Research **31**(2): 163-170.

Clapham, P., Mikhalev, Y., Franklin, W., Paton, D., Baker, S., and Brownell, R.L.J. 2005. Catches of Humpback Whales in the Southern Ocean, 1947-1973. IWC Scientific Committee SC/57/SH6. 13pp. (unpublished). [available from the office of this Journal].

Franklin, T., and Burns, D. 2005. A southern right whale, (Eubalaena australis), in Hervey Bay, Qld and Ballina, N NSW. Memoirs of the Queensland Museum **51 (2)**: **308**.

Rock, J., Pastene, L.A., Kaufman, G., Forestell, P., Matsuoka, K., and Allen, J. 2006. A note on East Australia Group V Stock humpback whale movement between feeding and breeding areas based on photo-identification. J. Cetacean Res. Manage. **8**(3): 301-305.

Sheppard, J.K., Preen, A.R., Marsh, H., Lawler, I.R., Whiting, S.D., and Jones, R.E. 2006. Movement heterogeneity of dugongs, Dugong dugon (Muller), over large spatial scales. Journal of Experimental Marine Biology and Ecology **334**(1): 64-83.

Forestell, P.H., Kaufman, G.D., and Chaloupka, M. 2006a. Abundance estimate of humpback whales in Hervey bay, Australia, based on CMR profiles, 1988– 2002. SC/A06/HW17 presented to the IWC Intersessional Workshop on Comprehensive Assessment of Southern Hemisphere Humpback Whales, Hobart, Tasmania, Australia: 3-7 April.

Forestell, P.H., Kaufman, G.D., Mallo, A., and Lehmann, S. 2006b. Calving rates and intervals for east Australia female humpback whales, based on individual photo-identifications: 1984-2005. SC/A06/HW23 presented to the IWC Intersessional Workshop on

Comprehensive Assessment of Southern Hemisphere Humpback Whales, Hobart, Tasmania, Australia, 3-7 April. 9 pp.

Anderson, M., and Brasseur, M. 2007. WA-EA Genetics Report draft 1. Genetic Assessment of Group IV (Western Australia) and V (Eastern Australia) Humpback Whale Population Dynamics and Migratory Interchange. Centre for Animal Conservation Genetics, SCU, Edith Cowan University, WA, Centre for Whale Research (Western Australia) Inc, Southern Cross University Whale Research Centre, SCU, The Oceania Project

Franklin, T., Smith, F., Gibbs, N., Childerhouse, S., Burns, D., Paton, D., Franklin, W., Baker, C.S., and Clapham, P. 2007. Migratory movements of humpback whales (Megaptera novaeangliae) between eastern Australia and the Balleny Islands, Antarctica, confirmed by photo-identification. IWC Scientific Committee SC/59/SH18. 5pp. (unpublished). [available from the office of this Journal].

Garrigue, C., Franklin, T., Russell, K., Burns, D., Poole, M., Paton, D., Hauser, N., Oremus, M., Constantine, R., Childerhouse, S., Mattila, D., Gibbs, N., Franklin, W., Robbins, J., Clapham, P., and Baker, C.S. 2007. First assessment of interchange of humpback whales between Oceania and the east coast of Australia. IWC Scientific Committee SC/59/SH15. 9pp. (unpublished). [available from the office of this Journal].

Franklin, W., Franklin, T., Brooks, L., Gibbs, N., Childerhouse, S., Smith, F., Burns, D., Paton, D., Garrigue, C., Constantine, R., Poole, M.M., Hauser, N., Donoghue, M., Russell, K., Mattila, D.K., Robbins, J., Oosterman, A., Leaper, R., Baker, C.S., and Clapham, P. 2008a.

Migratory movements of humpback whales (Megaptera novaeangliae) between eastern Australia and the Balleny Islands, Antarctica, confirmed by photo-identification. IWC Scientific Committee SC/60/SH2. 12pp. (unpublished). [available from the office of this Journal].

Franklin, W., Franklin, T., Brooks, L., Gibbs, N., Childerhouse, S., Smith, F., Burns, D., Paton, D., Garrigue, C., Constantine, R., Poole, M.M., Hauser, N., Donoghue, M., Russell, K., Mattila, D.K., Robbins, J., Oosterman, A., Leaper, R., Baker, C.S., and Clapham, P. 2008b. Eastern Australia (E1 breeding grounds) may be a wintering destination for Area V Humpback Whales (Megaptera novaeangliae) migrating through New Zealand waters. IWC Scientific Committee SC/60/SH3.14pp. (unpublished). [available from the office of this Journal].

Franklin, W., Franklin, T., Brooks, L., Jenner, C., Jenner, M., Gonçalves, L., Leaper, R., Brooks, L., and Clapham, P. 2008c. Photo-identification comparison of humpback whale (Megaptera novaeangliae) flukes from Antarctic Area IV with Western and Eastern Australian fluke catalogues Paper SC/60/SH1 presented to the International Whaling Commission Scientific Committee. 13pp. (unpublished) [available from the office of this Journal].

Gibson, Q., Kaufman, G., Forestell, P., Hutsel, A., and Macie, A. 2008. Biased Analysis of Incomplete Data Sets Weakens Conclusions about the Status and Interchange of Breeding Stock E.

Gibson, Q., PWF, Kaufman, G., and Forestell, P. 2008-9. Status report: Photo-Identification of Humpback Whales at Multiple Aggregation Areas along east coast Australia. Pacific Whale Foundation.

Clapham, P., Mikhalev, Y., Franklin, W., Paton, D., Baker, S., Ivashchenko, Y.V., and Brownell, R.L.J. 2009. Catches of Humpback Whales, Megaptera novaeangliae, by the Soviet Union and Other Nations in the Southern Ocean, 1947-1973. Marine Fisheries Review **71 (1)**: 39-43.

Anderson, M., Steel, D., Franklin, W., Franklin, T., Paton, D., Burns, D., Harrison, P., Baverstock, P.R., Garrigue, C., Olavarria, C., Poole, M.M., Hauser, N., Constantine, R., Theile, D., Clapham, P., Donoghue, M., and Baker, C.S. 2010. Microsatellite genotype matches of eastern Australian humpback whales to Area V feeding and breeding grounds. Paper SC/62/SH7 presented to the Scientific Committee of the International Whaling Commission. 11pp. (unpublished). [available from the office of this Journal].

Garrigue, C., Peltier, H., Ridoux, V., Franklin, T., and Charrassin, J.B. 2010. CETA: a new cetacean observation program in East Antarctica. Paper SC/62/SH3 presented to the Scientific Committee of the International Whaling Commission. 5pp. (unpublished). [available from the office of this journal].

Hoffman, W.S., Kaufman, G.D., and Jule, K. 2010. Estimation of Survival, Recruitment and Realized Growth Rates of the East Australia Humpback Population (BS-1) Using Temporal Symmetry Models.

Kaufman, G.D., Macie, A., Hutsel, A., and Jule, K. 2010. 2009 Humpback Whale Surveys in the Cairns/Cooktown Management Area of the

Great Barrier Reef Marine Park. Pacific Whale Foundation, Maui, HI, USA

Cagnazzi, D.D.B., Harrison, P.L., Ross, G.J.B., and Lynch, P. 2011. Abundance and site fidelity of Indo-Pacific Humpback dolphins in the Great Sandy Strait, Queensland, Australia. Marine Mammal Science **27**(2): 255-281. doi: https://doi.org/10.1111/j.1748-7692.2009.00296.x.

Constantine, R., J. Allen, P. Beeman, D. Burns, S. Childerhouse, M. C. Double, P. Ensor, T. Franklin, W. Franklin, N. Gales, C. Garrigue, E. Gates, N. Gibbs, A. Hutsel, C. Jenner, M. Jenner, G. Kaufman, A. Macie, D. K. Mattila, A. Oosterman, D. Paton, J. Robbins, P. Stevick, N. Schmitt, A. Tagarino, and Thompson, K. 2011. Comprehensive photo-identification matching of Antarctic Area V humpback whales. Report (SC/63/SH16) to the Scientific Committee of the International Whaling Commission, Tromso, Norway. 11pp. (unpublished). [available from the office of this journal].

Forestell, P.H., Kaufman, G.D., and Chaloupka, M. 2011. Long term trends in abundance of humpback whales in Hervey Bay, Australia. Journal of Cetacean Research and Management **(Special Issue) 3**: 237-241.

Franklin, T., Franklin, W., Brooks, L., Harrison, P., Baverstock, P., and Clapham, P. 2011. Seasonal changes in pod characteristics of eastern Australian humpback whales (Megaptera novaeangliae), Hervey Bay 1992-2005. Marine Mammal Science, 27(3): E134–E152 (July 2011) ©2010 by the Society for Marine Mammalogy. DOI: 10.1111/j.1748-7692.2010.00430.x.

Garrigue, C., Franklin, T., Constantine, R., Russell, K., burns, D., Poole, M., Paton, D., Hauser, N., Oremus, M., Childerhouse, S., Mattila, D., Gibbs, N., Franklin, W., Robbins, J., Clapham, P., and Baker, C.S. 2011. First assessment of interchange of humpback whales between Oceania and the east coast of Australia. Journal of Cetacean Research and Management (Special Issue) 3: 269-274.

Kaufman, G., Douglas Coughran, Judy M. Allen, Daniel Burns, Chris Burton, Cristina Castro, Simon Childerhouse, Rochelle Constantine, Trish Franklin, Wally Franklin, Paul Forestell, Rosemary Gales, Claire Garrigue, Nadine Gibbs, Curt Jenner, David Paton, Michael Noad, Jooke Robbins, Elisabeth Slooten, Franz Smith, and Stevick, P. 2011. Photographic Evidence of Interchange Between East Australia (BS E-1) and West Australia (BS – D) Humpback Whale Breeding Populations. Paper SC63/SH11 presented to the Scientific Committee of the International Whaling Commission. 16pp. (unpublished). [available from the office of this journal].

Silva, I.F., Kaufman, G.D., Hutsel, A., Macie, A., Maldini, D., and Rankin, R. 2011. Mid-migration humpback whale feeding behavior off Eden, NSW, Australia. Document SC/63/SH12 presented to the IWC Scientific Committee, Tromso, Norway: 11-14 July. 17 pp.

Steel, D., Schmitt, N., Anderson, M., Burns, D., Childerhouse, S., Constantine, R., Franklin, T., Franklin, W., Gales, N., Garrigue, C., Gibb, N., Hauser, N., Mattila, D., Olavarria, C., Paton, D., Poole, M., Robbins, J., Ward, J., Harrison, P., Baverstock, P., Double, M., and Baker, C.S. 2011. Initial genotype matching of humpback whales from the 2010 Australia/New Zealand Antarctic Whale Expedition

(Area V) to Australia and the South Pacific. Paper SC/63/SH10 presented to the Scientific Committee of the International Whaling Commission. 8pp. (unpublished). [available from the office of this journal].

Franklin, T. 2012. The social and ecological significance of Hervey Bay Queensland for eastern Australian humpback whales (Megaptera novaeangliae). Ph.D. thesis, School of Environmental Science and Management, Southern Cross University, Lismore, N.S.W. 245 pp. Available from http://epubs.scu.edu.au/theses/357/.

Franklin, W., Franklin, T., Brooks, L., Gibbs, N., Childerhouse, S., Smith, F., Burns, D., Paton, D., Garrigue, C., Constantine, R., Poole, M.M., Hauser, N., Donoghue, M., Russell, K., Mattila, D.K., Robbins, J., Oosterman, A., Leaper, R., Harrison, P., Baker, S.C., and Clapham, P. 2012. Antarctic waters (Area V) near the Balleny Islands are a summer feeding area for some Eastern Australian (E (i) breeding group) Humpback whales (Megaptera novaeangliae). Journal of Cetacean Research and Management **12 (3)**: 321-327.

Smith, J.N., Grantham, H.S., Gales, N., Double, M.C., Noad, M.J., and Paton, D. 2012. Identification of humpback whale breeding and calving habitat in the Great Barrier Reef. Marine Ecology Progress Series **447**: 259-272. doi: 10.3354/meps09462.

Anderson, M.J. 2013. Genetic connectivity within Eastern Australian humpback whales and their relationship to adjacent South Pacific and Indian Ocean stocks. PhD thesis, Southern Cross University, Lismore, NSW. http://epubs.scu.edu.au/theses/362/.

Kaufman, G.D., and Kaufman, P.M. 2013. Summary results of a survey conducted during the 2012 whalewatching season in Hervey Bay, Australia. Document SC/65a/WW05 presented to the IWC Scientific Committee, Jeju, Korea: 3 June – 15 June. 18 pp.

Burns, D., Brooks, L., Harrison, P., Franklin, T., Franklin, W., Paton, D., and Clapham, P. 2014. Migratory movements of individual humpback whales photographed off the eastern coast of Australia. Marine Mammal Science. 10.1111/mms.12057 **30**: 562–578. doi: 10.1111/mms.12057.

Constantine, R., Steel, D., Allen, J., Anderson, M., Andrews, O., Baker, C.S., Beeman, P., Burns, D., Charrassin, J.-B., Childerhouse, S., Double, M., Ensor, P., Franklin, T., Franklin, W., Gales, N., Garrigue, C., Gibbs, N., Harrison, P., Hauser, N., Hutsel, A., Jenner, C., Jenner, M.-N., Kaufman, G., Macie, A., Mattila, D., Olavarría, C., Oosterman, A., Paton, D., Poole, M., Robbins, J., Schmitt, N., Stevick, P., Tagarino, A., Thompson, K., and Ward, J. 2014. Remote Antarctic feeding ground important for east Australian humpback whales. Marine Biology **161**: 1087-1093. doi: http://dx.doi.org/10.1007/s00227-014-2401-2.

Franklin, W. 2014. Abundance, population dynamics, reproduction, rates of population increase and migration linkages of eastern Australian Humpback whales (Megaptera novaeangliae) utilising Hervey Bay, Queensland. Ph.D. thesis, School of Environmental Science and Management, Southern Cross University, Lismore, N.S.W. 396 pp Available from http://epubs.scu.edu.au/theses/422/.

Franklin, W., Franklin, T., Gibbs, N., Childerhouse, S., Garrigue, C., Constantine, R., Brooks, L., Burns, D., Paton, D., Poole, M.M., Hauser, N., Donoghue, M., Russell, K., Mattila, D.K., Robbins, J., Anderson, M., Olavarria, C., Jackson, J., Noad, M., Harrison, P., Baverstock, P., Leaper, R., Baker, S.C., and Clapham, P. 2014. Photo-identification confirms that humpback whales (Megaptera novaeangliae) from eastern Australia migrate past New Zealand but indicates low levels of interchange with breeding grounds of Oceania. Journal of Cetacean Research and Management **14 (1)**: 133-140.

Rankin, R.W., Maldini, D., and Kaufman, G. 2014. Bayesian estimate of Australian humpback whale calving interval under sparse resighting rates: 1987-2009. Journal of Cetacean Research and Management **13**: 109-121.

Ribbe, J. 2014. Hervey Bay and Its Estuaries. *In* Estuaries of Australia in 2050 and Beyond, Estuaries of the World. *Edited by* E. Wolanski. # Springer Science+Business Media Dordrecht 11, 2014.

Stack, S.H., Swabb, M.H., Currie, J.J., Kaufman, G.D., and Martinez, E. 2014. Match My Whale: A crowdsourcing platform for cross-identification of Australian humpback whales (Megaptera novaeangliae). Document SC/65b/SH10 presented to the IWC Scientific Committee, Bled, Slovenia: 12-24 May. 4 pp.

Martinez, E., Currie, J.J., Stack, S.H., Easterly, S.K., and Kaufman, G.D. 2015. Note on patterns of area use by humpback whales (Megaptera novaeangliae) in 2013 in Hervey Bay, Australia, with an emphasis

on mother-calf dyads. SC/66a/SH/2 presented to the IWC Scientific Committee, San Diego, USA: 20 May – 4 June. 16 pp.

Gero, S., Pace, S., Kaufman, G., Parsons, E.C.M., Ritter, F., Sironi, M., and Rose, N.A. 2016. Initial survey of global commercial swim-with-whale operations. Document SC/66b/WW/02 presented to the IWC Scientific Committee, Bled, Slovenia: 4 June – 20 June. 9 pp.

Franklin, W., Franklin, T., Andrews-Goff, V., Paton, D.A., and Double, M. 2017. Movement of two Humpback whales (Megaptera novaeangliae) satellite-radio tagged off Eden, NSW and matched by photo-identification with the Hervey Bay catalogue. J. CETACEAN RES. MANAGE (17): 29-33.

Franklin, W., Franklin, T., Cerchio, S., Rosenbaum, H., Jenner, C., Jenner, M., Gonçalves, L., Leaper, R., Brooks, L., and Clapham, P. 2017. Photo-identification comparison of humpback whale (Megaptera novaeangliae) flukes from Antarctic Area IV with fluke catalogues from East Africa, Western Australia and Eastern Australia. J. CETACEAN RES. MANAGE (17): 1-7.

Franklin, T., Franklin, W., Brooks, L., and Harrison, P. 2018. Site-specific female-biased sex ratio of humpback whales (Megaptera novaeangliae) during a stopover early in the southern migration. Canadian Journal of Zoology **96**(6): 533-544. doi: 10.1139/cjz-2017-0086.

Stack, S.H., McCordic, J.A., Machernis, A.F., Olson, G.L., and Currie, J.J. 2019. Preliminary report on the impacts of swim-with-whale tourism on humpback whale behaviour in Hervey Bay, Queensland,

Australia. SC/68A/WW/02 Rev Presented to IWC Scientific Committee 2021.

Franklin, T., Franklin, W., Brooks, L., Harrison, P.L., Burns, D., Holmberg, J., and Calambokidis, J. 2020. Photo-identification of individual Southern Hemisphere humpback whales (Megaptera novaeangliae) using all available natural marks: implications for misidentification & automated algorithm matching technology. J. CETACEAN RES. MANAGE **21**(1): 71-83.

Stack, S.H., Currie, J.J., McCordic, J.A., Machernis, A.F., and Olson, G.L. 2020. Distribution patterns of east Australian humpback whales (*Megaptera novaeangliae*) in Hervey Bay, Queensland: a historical perspective. Australian Mammalogy **42**(1): 16-27.

Stack, S.H., and Serra, S. 2021. Summary of swim-with-whales tourism around the globe. Document SC/68C/WW/03 presented to the IWC Scientific Committee. 8 pp.

Franklin, T., and Franklin, W. 2021. Summary of early scientific literature and reports relevant to the establishment of the Hervey Bay Marine Park and the Hervey Bay Marine Park Whale Management and Monitoring Zone.

McCulloch, S., Meynecke, J.O., Franklin, T., Franklin, W., and Chauvenet, A.L.M. 2021. Humpback whale (*Megaptera novaeangliae*) behaviour determines habitat use in two Australian bays. Marine and Freshwater Research.

Franklin, W., Franklin, T., Brooks, L., Harrison, P.L., and Corkeron, P. In Preparation a. Population dynamics of Humpback whales (Megaptera

novaeangliae) in Hervey Bay, Australia: a preferential female stopover during the early southern migration

Franklin, W., Franklin, T., Brooks, L., Harrison, P.L., and Corkeron, P. In Preparation b. Abundance and calving rates of Humpback whales (Megaptera novaeangliae) in Hervey Bay, Australia - 1997 to 2009.

Franklin, T., Franklin, W., Brooks, L., Harrison, P., Pack, A.A., and Clapham, P.J. In Review. Social behaviour of humpback whales (Megaptera novaeangliae) in Hervey Bay, Australia: a preferential female stopover during the southern migration. Frontiers of Marine Science Special Research Topic: 'Sociality in the Marine Environment".

Stack, S.H., Sprogis, K.R., Olson, G.L., Sullivan, F.A., Machernis, A.F., and Currie, J.J. In Review. The behavioural impacts of commercial swimming with whale tours on humpback whales (Megaptera novaeangliae) in Hervey Bay, Australia.